			TESLA C	ORPORATION	J			
			PO BOX 114	4132, Dubai, I	JAE			
		ſ	MATERIAL SA	AFETY DATA S	HEET			
		Sect	ion 1 - PROI	DUCT IDENTIF	ICATION			
SUPPLIER					EMERGE	NCY TE	LEPHONE	NUMBERS
TESLA Corporation,					Comp	bany (+9	971) 56114	4201
PO BOX 114132, Dubai, UAE								
CHEMICAL NAME AND SYNONY	MS						ND SYNON	YMS
Not applicable					GRAFIA F			
CHEMICAL FAMILY					FORMUL			
Hydrocarbon						pplicab		
				CAL AND PH				
APPEARANCE C	lear b	right yell	low liquid		Viscosity	, cst at	40°C	68
ODOR L	ube O	il odor			Viscosity	, cst at	100°C	15
RELATIVE DENSITY (Air=1) >	1		рН	6-8	Solubility	in Wat	ter	NEGLIGIBLE
MELTING POINT, °C >	260				Flash Poi	int, Ope	en Cup, č C	227
VAPOK PRESSURE (IIIIII Hg at 13	0.0 L)	<	<5		Sp. Grav	ity (H ₂ U	=1)	0.88 APPROX
			Section III	- INGREDIEN	TS			
HAZARDOUS INGREDIENTS	١	Wt. Pct		TLV		ORAL		DERMAL
	(Approx)				LD 50		LD 50
Fatty Acid Esters		25-35		5 mg/m³	- TWA		/m³ Rat	>2 mg/m [°] Rat
Antimony dialkyldithiocarbama		3.0-7.0		0.5 mg/n				>16 mg/m [°] Rat
Antimony compounds (non-tox		3.0-7.0		0.5 mg/n				>16 mg/m [°] Rat
liquid organo metallic compour		5.0-7.0		0.5 mg/m		>1040		
Zinc dialkyldithiophosphate	-	<1.0		Unknowi	2	>2 mg	/m³ Rat	>2 mg/m [°] Rat
		<1.0		Unknowi			g/m [°] Rat	>2 mg/m [°] Rat
Zinc compounds		-						
Fatty acid derivative of 4,5 Dihy 1H-imidazole				Unknow			g/m° Rat	Unknown
Ashless dithiocarbamate).5-2.0		Unknowi	n	>16 m	ig/m [°] Rat	>2 mg/m Rat
NON-HAZARDOUS INGREDIENT	S							
ADDITIVE AND/OR OTHER INGREDIEN ingredients, their C.A.S numbers and th listing of hazardous ingredients discloss This material is an automotive/industri not designated as harmful to ozone.	neir exac es the pr	t percentag operties, ap	e are proprietory oproximate conce	y to TESLA Corpora entration and know	ation, and are wn toxicologic	being with al effects o	nheld as Trade of the hazardo	Secrets. The above us ingredients.
REGULATORY INFORMATION:								
SARA Title III: This produt does not con chemicals that are subject to the repor 40 CFR Part 372, they will be listed in t TSCA: This material is in compliance wi Toxic Substance Control Act (TSCA) inv	ting requ he above th the To	uirements o e HAZARDO oxic Substan	f Section 31 of Ti US INGREDIENTS	tle III of the Super section.	fund Amendm	nents and I	Re-authorizati	on Act of 1986 and
Clean Air Act: No ozone depleting chen			/I, Stratospheric	Ozone Protection,	Section 602 c	of the Clea	n Air Act are p	resent or used in the
manufacturing process of this product								
		ection IV	/ - FIRE AND	EXPLOSION	HAZARD D	ATA		
FLASH POINT, [°] C (Method)	22		COC		MABLE LI		LEL Unknown	UEL
EXTINGUISHING MEDIA								
Foam, dry chemical, water f		carbon d	ioxide					
Do not direct a solid stream of wa	ter into	fire. Treat	as a petroleur	n fire. Respirato	rv protectio	n reauire	d for fire figh	nting personnel
UNUSUAL FIRE AND EXPLOSION None					, ,			
		Se	ction V - HE	ALTH HAZARI	D DATA			
THRESHOLD LIMIT VALUE (If Est Not established. Oil Mist = 5 EFFECTS OF OVEREXPOSURE								
Although there are no consistent prima and lung irritant. An existing skin, eye o		-				-		-
of carcinogens							_	
EYE CONTACT	SECT	ION VI -	EMERGENC	Y AND FIRST	AID PROC	EDURES	5	
Flush immeidately with water until irrit	ation sul	hsides						
GRAFIA PA 68								

Effective Date 1-Dec-11 Pr

Print Date: 3/19/2014 TESLA CORPORATION PO BOX 114132, Dubai, UAE

Page 1 of 2

MATERIAL SAFETY DATA SHEET TRADE NAME AND SYNONYMS **GRAFIA PA 68** SKIN CONTACT Wash affected skin area with mild soap and water INGESTION Do not induce vomitting. Contact a Physician INHALATION Remove to fresh air. If not breathing, give artificial respiration. Contact a physician SECTION VII - REACTIVITY DATA STABILITY (Thermal, Light, Etc.) CONDITIONS TO AVOID Stable Contact with nuclear radiation and strong oxidising agents **INCOMPATIBILITY** (Materials to avoid) Strong oxidizing materials HAZARDOUS DECOMPOSITION PRODUCTS Dense smoke, oxides of C, S, Mg, Ca, N, P, Zn and B. hydrogen sulfide HAZARDOUS POLYMERIZATION Will not occur SECTION VIII SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Remove all sources of ignition. Treat as a petroleum oil spill WASTE DISPOSAL METHOD Incinerate where permitted under federal, state and local laws. Used petroleum products may be recycled through re-refining process EYE PROTECTION Sufficient to avoid direct contact SKIN PROTECTION Protective neoprene or plastic gloves may be desired **RESPIRATORY PROTECTION** Usually not needed in o pen, unconfined areas VENTILATION Usually not needed in open, unconfined areas OTHER Usualy not needed SECTION IX SPECIAL PRECUATIONS

Close containers when not in use. Keep away from heat, sparks, open flames, and strong oxidants. Avoid eye contact and prolonged skin contat. Avoid breathing oil mists. Wash thoroughly after handling

SECTION X HAZARD RATINGS

There are several recognised and acceptes systems that assign hazard ratings to materials. Although this product has not been evaluated specifically against these systems, the ratings for the National Fire Protection Association (NFPS) and the National Paint and Coating Association's Hazardous Material Identification Systems (HMIS) are:

	NFPA	HMIS
Health	2	1
flammability	1	1
Reactivity	1	1

Print Date:

3/19/2014